

PRODUCT-DETAILS

# ACS580-01-246A-4

ACS580-01-246A-4 Pn 132 kW I2n 246 A,  
Protection class IP21, EMC class C2



## Información General

Global Commercial Alias	ACS580-01-246A-4
Product ID	3AUA0000080507
ABB Type Designation	ACS580-01-246A-4
EAN	6438177305637
Catalog Description	ACS580-01-246A-4 Pn 132 kW I2n 246 A, Protection class IP21, EMC class C2

## Clasificación

Country of Origin	Finland (FI)
Customs Tariff Number	85044088
EAN	6438177305637
Invoice Description	ACS580-01-246A-4 Pn 132 kW I2n 246 A, Protection class IP21, EMC class C2
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece
Stocked At (Warehouses)	Central Stock Europe Central Stock Asia FIPSEEXPU

US Drive Services  
 SGRDC002EXPU  
 CNIAB001EXPU  
 SGIND002EXPU  
 JPABB001EXPU  
 AUABB024EXPU  
 SGIND005EXPU

---

## Dimensiones

Product Net Height	965 mm
Product Net Length	393 mm
Product Net Weight	69 kg
Product Net Width	300 mm

---

## Technical

Frequency (f)	50/60 Hz
Input Voltage ( $U_{in}$ )	380 ... 480 V
Number of Phases	3
Output Current, Normal Use	246 A
Output Power, Light-Overload Use	132 kW
Output Power, Normal Use	132 kW

---

## Información Adicional

Product Main Type	ACS580
Product Name	Frequency converter

---

## Categorías

Convertidores de frecuencia → Convertidores de frecuencia de baja tensión de CA → Convertidores de frecuencia de propósito general  
 ABB → ACS580-01 - Wall-mounted drive



